

NEW HANDLE, NEW BLADE, SAME AXE

Keeping tabs on the mono evolution

Taime is catching up with the monoshock design. A year ago, all of the YZs were perched at the top of their respective heaps, suspension-wise. Kawasaki was still sorting out the Uni-Trak, Suzuki was getting ready to, abandon the dual-shock approach and Honda was busy trying to understand why no one cared for Showas shocks.

The G-model monos were adjustable to the moon and back, took most bumps in a reasonable manner, and, most of all, were reliable.

Bikes came out in 1981 and the rules of the suspension game were rather crudely rewritten. Now, the message was Pro-Link from Honda, a revised Uni-Trak from Kawasaki and the Fabulous Floaters from Suzuki.

Yamaha dutifully updated their monoshock, making it a bit better than the previous effort, as per usual practice. More adjustment available, greater capacity in the reservoir and small refinements in general.

Our job here, as we see it, is to determine if what they did was enough, and how it compares with the other hardware available; namely, the other 250 racers.

The bike in question is the Yamaha YZ250H, perhaps the most evolved and finely honed single concept in dirt bikes beside the Harley flattrackers.

Obvious changes/improvements
It's called the H and is one year
newer and more advanced than the G
model. A casual observer might pick
up on only cosmetic changes, like the
gold rims and 1981 decals; but, the important changes are up front.
A set of 43mm forks is the big news.

Travel remains the same as last year at 11.8 inches. We sort of liked the action of the G forks and don't find the bump-absorbing ability of the H forks superior. However, the G forks would waggle around some if the tire was stuffed into deep sand or mud. Not a hint of flex can be detected in the 43's.

When we say that the action of the newer forks is no better than the older forks, this is not a criticism. The G forks were superb. In fact, now that the H forks have been becfed up, they must be considered just about the state of the art on production bikes. Only the 40mm forks on the new Husqvarnas work as well.

Not-so-obvious changes and some questionable improvements

A longer swingarm is on the new YZZ50H. This slows down some of the side-to-side hop occasionally encountered with monos. Adjusting the rebound damping is still a simple job. Merely reach under the rear fender and turn the adjuster knob until you get what you want.

Riders who are not sensitive to what is happening are advised to leave the re-bound damping in the standard position. This can be identified by two small punch marks on the knob. Line them up with the matching mark on the shock eye, and you're in the ball-park. Before you decide to play Mad Scientist with the damping, it's a good idea to read the well-written manual and make sure you understand what

you're doing.

Preload adjustment is almost as simple. A set of large (32mm) nuts are located right behind the damping adjuster knob. Merely loosen the jam nut and crank down on the other to stiffen things up.

This year, the YZ250 has a fivespeed gearbox instead of a six-speeder. We bemoan the loss of the extra gear; which we have the properties of the contraction of the properties of the contraction of the properties of the properties of the way and the mer five-speeder is heavily beefed up. Our 1980 YZ250 was ridden merclessly for 11 months as a ridden merclessly for 11 months and the properties of the properties of the properties of the properties of the the properties of the properties of the properties of the speed of the properties of the properties of the properties of the speed of the properties of the properties of the properties of the speed of the properties of the properties of the properties of the speed of the properties of the properties of the properties of the speed of the properties of the properties of the properties of the speed of the properties of the properties of the properties of the speed of the properties of

same top end was used for the duration. Yamaha tells us that the new H bike should be even more reliable, as the rear hub is improved and the gearbox is about 40 percent stronger. A spotcheck of the rear hub showed it to be identical to a 1979 F hub. A step back







his will probably be the last year you'll see the traditional Yamaha Monoshock degn. The factories are playing with a progressive setup similar to the Honda ro-Links.

20 DIRT BIKE/JULY 1981

Other changes: There's a new YEIS system on the inter rate. The Dirt Bike testers kept referring to it as a "boost bottle," causing Yamaha's Ed Scheid-ler to beat his head repeatedly into a handy post until we ceased our blas-phemy. Anyway, the boos—... that is, the YEIS... stands for Yamaha Energy Induction System. It's nothing more than a chamber between the carb more than a chamber between the carb as the standard with the si monthing gasses have a storage place between pulses.

Its prime function is to improve throttle response at low and midrange at partial throttle conditions. At full throttle, it doesn't do anything.

and the second to anything the second to anything asked Scheider to block off the hose going to the boo. .. the PEIS bottle. With tears in his yes, Ed crimped the hose shut and let us blubber around the track for a few laps. He was right. The Yz ran like a dog. Ed told us he TEIS detached, but we'd red up with a clean running bike with less response. It convinced us. That system, while not yielding earth-shattering gains, does work.

Overall, the 1981 engine has more snap right off the bottom and will pull with more punch early in the midrange. Gear ratios have been juggled around to take advantage of this. Or, to make up for losing a gear, depending on how you look at it. Here are the actual numbers:

1980 YZ250G	1981 YZ250H		
Ratios	Ratios		
12.142	12.142		
21.812	21.812		
3 1.411	31.411		
41.142	41.142		
50.956	50.956		
6 0.875			

As you can see, the ratios are the same in the first five gears. No internal ratios are changed; the only difference being a 14-tooth countershaft on the new bike and a 13-fanger on the old bike.

What this means to the rider is that first gear on the H model is almost as tall as second gear on the 1980 machine. Most riders used to start the G bike in second gear anyway, so this will prove to be no handicap in a motocross start.

Where the change will be noticed is in cross-country or Grand Prix conditions. The old G bike is faster on top

YAMAHA YZ25OH MOTOCROSSER

end by about five to seven mph over the new bike.

We had a chance to drag race the two bikes side by side. When both bikes were started in low, the H would pull the Gevery time. When both were started in second gear, the G would win the race every time. With the G in second and the H starting in low, the G would win on hard-packed ground every time. With decent traction, the H would example.

One interesting side note: We dragged the C, the H and a new Suzuki RM250X side by side, under a variety of conditions. Both the G and the H beat the Suzuki out of the gate by a few lengths, then held the distance until all of the bikes peaked out. The old G bike beat them both on top end, with stock searing.

On the track

While all this drag racing is fun and serves as a measuring stick of sorts, it? set lap times that are the most important thing. We found the responsive low-end power of the YZ to be an asset. The test riders could chop the throttle, when necessary, then snap it back on and rocket out of a turn—almost like an Open class bike.

The bike could be shifted fairly early on dry and bumpy tracks and the power could be rolled on for maximum control. This contrasted greatly with the Suzuki, which had to be screamed like a 125 for best lap times.

It didn't take a great deal of riding skill to pilot the YZ. The power had a decent spread, came on with no surprises and proved to be the most flew bile powerplant of any 250 YZ ever built. It's safe to say that just about anyone could sling a leg over the YZ and get along with it right away. Much more so than the 1980 flavor VZ250.

Bumps and grinds

Most of our testing on the newest YZ took place at Sunrise Cycle Park, which is rapidly becoming one of our favorite test beds for suspensions. It's a brutal track, laced with medium-speed whoopers and several stadium jumps. If a suspension works decently here, it'll be fine anywhere else.

None of our test riders liked the YZ with the standard mono spring, even with appreciable amounts of preload dialed in. The rear end simply wallowed too much, letting steering accuracy suffer. We slipped on the optional heavier spring and returned to a standard preload setting. Much better; even for lighter riders. Not only did the Mono-X rear end resist bottoming

now, but steering improved, too.
We eventually ended up raising the oil level in the forks by 10mm over stock. Our forks worked well under all conditions. We had two test bikes at our disposal. One of them had only a little time on it; the other was broken in. The forks on the broken-in bike felt much plusher than the fresh bike. You can expect this to happen to your new YZ. if you set one.

Y.A.; I you get one.
By the end of the day we had the Y.Z.
By the end of the day we had the Y.Z.
working as well as it was ever going to,
in stock configuration. No doubt, you
are asking the burning question as to
how it compares to the Suzuki Floater
rear end, Well, the Suzy single-shock
works better, no argument there. Howworks better, no argument there. Howworks better, no argument there the Y.Z. is not that far off base,
Just about the only place where the Y.Z.
sulfers is on the killer, hold-the-barsand-girt-your-teeth bumps.



The "H" engine is now a 5-speed, and with the YEIS induction there's a noticeable improvement in the bottom end performance.



Excalibur INDUSTRIES INC.

In N.J. and CUSTOMER SERVICE

EXCALIBUR Month (I), YI, Mt., Ref., B. CHEST PROTECTOR Month (II), YI, Mt., Ref., B. CHEST PROTECTOR Month (II), Wt., Bit., Pat., S. CHEST PROTECTOR Month (III), Wt., Bit., Pat., S. CHEST PROTECTOR (III), Wt., Bit., Pat., S. CHEST PROTECTOR (III), W. C

DELLINE MX
NYI, ONS w/ rewoughle liner pols,
liner, inside picket,
liner, inside picket,
picket liner, brony
uncer service. (Shote
wought vise.)
Red MN/81
N/Y1 \$60.95

MX DENIMS, 14 denim, podded, Ir spoets. Many Exet 18" to 24" 523 26" to 42" 523 44" to 46" 523 Far Handa, Yam

KIDNEY BELT \$18.95 Yallan-Wlack Blan-Wad CASTRE GLOVES Auch 8000 \$23.95 Cod" x 8000 \$12.95 EXCALIBUR ECONOMY GLOVES \$9.95 GRAB ON GRIPS \$3.75 ANCRA TIE DOWNS

Endows or MX Treed
\$199.75
Sold Five Beers
\$1, Rd, Sie ex 199.75
Sold Five Beers
\$1, Rd, Sie ex 199.00
M. Richart Plastic MX
Bi or Red \$199.95
Vendramin! Childrens
Slue & Yellow
Size: Children's 12
and 1 thru 5 \$64.95
CLYMER MANUALS
\$6.95

* We are Distributors for Mossberger Reeds - call for

Call or for prices on the following Daving Tree, Metaler Time, Endant Took Begs, Endoor time code halders, O' Neel hoofed bens, Oury gives, Celf MX pears, Pro-Levers Ratio Rines, Doper Sen Googles, Jones Googles, Poly hellers, Godfie Begs, D.O. cham, sprechest, Turkes cham, Metale grations, vision, I acce ability. Turkes cham; O'Deal on History, Cyclinde, Benders, Young haldreit, O'Deal on History, Cyclinde, Benders,

* Also thousands of items for street bikes.

* Dealer inquiries invited (write an your lemerhead):

Free coraling with order or send \$1.50 for coholog
(salunded with first ander).



DIRT TIRES



Exta	IBUT INDUSTRIES INC. IL	MINISTERN, H.	PROD.
	Desirance	N/A	
Tanibel's	ONDER CAMPAGES NAMES N	10 14 54 EX (41)	
winds respond	AN CHECK CAMPELL BY NOT AN	DE SALSHIEL CAN	
winds respond	NA CHECK ENGREE W. LANS M.		

YAMAHA YZ25OH MOTOCROSSER



Vamba Vamb		
Name and models Verminde Vizida Engine types Section Vizida Vizida Section Vizida Vizida Section Vizida Vizida	VAMAHA	YZ250H
Secretary of the Control of the Cont		
Decision	Name and model	
Bose see of tracks	Engine type Single-cylinder, reso-varyou	
Delicationment 2 de inches 2 d		
Displacement 30cm 18 hours of 10 miles (18 miles) and 18 miles (18 miles) and 18 miles	Bore and stroke 70mmsb4mm	
December 34 A Part of Control of	(Z.8 inches x Z.5 inches)	
Memorane Manufacture State Sta	Displacement 245cc (15.0 cubic inches)	
Carbonarium amended petrop. Machinel Marchiel M		Miss seasonal Aluminum allor
Feature recommended perfective 50 Feeder St. 674-5 Feeder St. 67		
Meaning Con- present Con- present Con- District Con- Distr		
Seeding of 1944 Spaces of 1944 Spaces of 1945 Space	Main jet	Pear 5.10x18knobtr
Jet research Bilds annuhele state of the st		
Plays the Approximation of the Company of the Compa		
Blidd monther between the present of		300 wm (11.R inches
All connected a Service Servic		ness Monnernes single-shoc
First tack capacity Figure 1 and metalist Office 1 and metalist Office 2 and metalist Office 2 and metalist Office 3 and metalist Office 4 and metalist O	Recommended gasoline Premium	
Part and weekender Labor (1997) and the Company of	92-plus octane	Atomorphic off-mad racin
Federate Americal Origina community Origina commu	Fuel tank capacity	Interior day lane
Uniteration Of Linguistics (1997) Distribution		Country of origin 4202
Recommended of Contention Front Contenti		Approx. recan price
Recommended of 1.0		Distributor:
Classiciaty	Recommended oil	Tarrana Motor Corporation
Ad efficients (1997), with mining part of the property of the	Oil capacity	Consess California 90630
Church year Pass-speed West - Fund Could Paston assemble, complete 150		Cypiess, Camorina socco
Transmission Tracepool (consumerates) Rings only 1.6		Parts prices, mgm-seem reams. 520 S
Gear box restion: 30 / 14/2 k42 Cylinder 2/16 2/16	Transmission Five-speed, constant mesh	Piston assembly, compare
1 30/14/2:402 Cyrinwere 1 2 2 29/16/1.812 Brake pedia 2 3 24/17/1.411 Front aprockst 2 4 3.4 22/111.61 Grant 2 6 22/23/0.864 Gearing, front freez 2 Gearing, front freez 2 Commission of the control o		Hings only 216 f
2		Cylinder 10 3
3 24/171.4102 Front sprocket 4 4 24/211.4102 Front sprocket 6 5 Earling, front /rear (22/23/0.0960 Versil rating, 9 to 100, various categories, 6 6 Earling, front /rear (22/23/0.0960 Versil rating, 9 to 100, various categories, 6 6 Earling, front /rear (22/23/0.0960 Versil rating) f		Shift lever 20 F
4 24(211). 1927 5 22(23)0.966) Gearing, front/rear 16(2)0.00000000000000000000000000000000000		Brake pedal.
Gearing, front/rear 14/48 keeping intended use of machine in mind: Handling		Pront sprocket
Gearing, front/rear		Overam rating, o to roo, various onto go nes
		keeping intended use of machine in minu.
		Handling
		Suspension (front, 98; rear, 9
		Power
		Cost
		Cost
		Attention to detail Effectiveness, stone stock
Frame, type. Single downtube, split crade Effectiveness, stone stock	Erame type Single downtube, split cradle	Effectiveness, stone stock

These, the RM almost ignores, while the YZ will take them under protest, with a shudder going through the chassis. One place the YZ rear end works better than the RM is with the throttle shut off. Here, the RM waggles its head and feels like the frame has a hinge in the middle; the VZ still tracks straight under the no-load conditions.

Point it and go
This year, the YZ line (125 through
465, at least) has less rake and trail;
and they all turn better. There's a
slight trade-off in stability at very high
speeds over rough ground. In fact,
some of the Baja and SCORE riders

are using 1980 frames with '81 motors and suspension.

On hard, flat corners, our test 250H proved to be very agile. Even with the stock tires, the front end wouldn't push out as long as the rider was slight-

ly forward on the tank.
We found the best cornering technique was to leave the bike in the highest useable gear and slip the clutch when exiting turns. Naturally, this had to be accompanied by a forward weight shift. Once the bike was straightened out, the rider could slide back a bit, gain rear wheel traction and forest the clutch.

This technique requires an aggressive approach, but will work quite well once the rider gets used to it. When rider gets used to it. When rider gets used to it. When rider gets used to it. It so only when you ride another single-flockly, like a Pro-Link or a Fall-Flockle, like a Pro-Link or a Fall-Flockle, that you can notice the shock is welly not got the rider a few hard laps, you forget

The Y2230H is not all that happy when forced to slide. Oh sure, the rider can weight the outside peg, crank on the throttle and break the rear end loose. But, to maintain a long, workable slide is beyond the skill levels of the average racer. More often than not, the YZ wants to stand upright half way through the slide. It's best to cut and thrust most tracks and forget the spectaculars.

Bits and pieces

You'll find an improved air box this year, with a smoother sealing surface and more room in the box itself. This means you can now get an average-sized hand in behind to check if the filter is seated.

A folding shifter is now stock—a

Pegs are back a fraction and up a bit more than last year. This makes it very easy to wheelie the new YZ. A bit too easy, until you get used to the bike. A few of our riders almost looped the bike out when accelerating up a grade.

A sano straight-pull throttle with a clear window top is standard. Splitperch lever mounts make changing easy. Good grips are hung on the end of the bars.

We felt the bars were too high and too wide for comfort. After cutting them down to 32 inches, the feel was improved. We slipped on a set of O'Neal OW low bars after the first few rides. This let us go forward easier.

Clutch pull is smoother and easier this year.

The left side panel will show melt marks from the pipe. Another rubber side plate plug, or a piece of asbestos will prevent this. Do it before you ride

the bike.
Nice guides route top-quality cables.
There's no danger of snagging things

up front.

Brakes were strong at both ends.
Perhaps too strong at the rear. We bent the brake rod slightly for some "give" and the occasional inadvertent

stalling ceased.

(continued on page 65)





YAMAHA YZ250H ntinued from page 23

Once again the front forks are excellent. The truly massive 43mm units combined with the strong front brake give the Yamaha one of the best packages available.

One more time? Here's the deal. This year, the YZ

works. It has a great motor, superb forks and a good rear suspension. Detailing and adjustability are all toplevel. But, quite frankly, the monoshock concept as we see it now appears to be at the end of the line.

Yamaha simply must come up with some sort of rising rate suspension next year. The mono has been a faithful design that's served them well. The end result in 1981 represents a close to a decade of hard work and engineering refinement. Now, it's a very good hike. Next year, even if it gets refined a bit more, it'll be just average.

ROOST FACTORY

The Hottest New Performance Products ORDER TODAY-ROOST TOMORROW!



"ROOST ROOSTER







ROOST FACTORY 23705 Madison St. * Torrance * California * 90505 * 213/375-0181

80, 100, 125, 250, 400, YZ 60, 80, D, E, F, RD350-400, TRI-MOTO CR80 '79-'81. KX080 '79-'81. All reeds

Dealer inquiries invited For more information send \$1 for catalog and stickers to:



"The first practical tank bag for dirf bikers" Dirt Bike Magazine October 1980

CP. T. DIVI-KX 1830 N. Jameson Lane, Dept. DB. Santa Barbara CA. (806) 969-3895 PRO-I RELT

THE ONLY MAGAZINE & RACERS!

RIDER/RACER, the only magazin that covers the miniscene from top to boton how to start racing! MINI-CYCLE

SEND 43.00 FOR PATCH AND STICKERS

SUPER SUPER SUPER LOOKS Colors: Rlack black / red Indicate waist.

CONDOR PRODUCTS P.O. Box 238 Southport, CT 06490 203/259-9837

Make check or money order payable to: MINI-CYCLE RIDER/RACER Box 317. Encino, California 91316 Name

Address

City/State/Zip (Please enclose \$2.50, plus 75 cents postage and handling for each copy or

dered. Canada add \$1.50 and all other foreign add \$2.50 postage and handling for each copy ordered. All items will be shipped by surface mail. U.S. funds Priorate: